



# Metal Garage Buyer's Guide

by Alan Bernau, Jr.

Everything you need to know about buying a metal garage  
from Alan's Factory Outlet, one of the nation's top sellers  
of metal carports, garages, and buildings



# Table of Contents

Page 3

## CHAPTER 1

Is a Metal Garage Right for You?

Page 6

## CHAPTER 2

How to Plan and Size Your Garage

Page 9

## CHAPTER 3

Design and Price Your Garage

Page 13

## CHAPTER 4

What You Need to Know About Regulations and Permits

Page 16

## CHAPTER 5

Planning Your Garage Site

Page 19

## CHAPTER 6

Planning and Pricing Your Foundation

Page 24

## CHAPTER 7

Get Financing and Place Your Order

Page 27

## CHAPTER 8

Time to Get a Permit

Page 29

## CHAPTER 9

Complete Site Prep and Foundation

Page 32

## CHAPTER 10

While You Wait

# Are You Considering Adding a Garage to Your Home?



## Introduction

- Are you wondering which type of garage is right for your specific needs?
- Do you need to find out how much metal garages cost in your area?
- Do you want a quick and easy guide to buying a garage?

If you answered “yes” to any of those questions, **this guide is for you.**

## In this guide you will learn:

- ✓ The pros and cons of metal garages
- ✓ How you can know if a metal garage is right for you
- ✓ How to calculate what size of garage you need
- ✓ How much your garage will cost
- ✓ How to quickly get information about regulations and permits
- ✓ How to design your garage and get it installed

I’m **Alan Bernau Jr.**, owner of Alan’s Factory Outlet. I’ve helped more than 75,000 homeowners customize and install carports, metal garages, and similar metal buildings. That experience has helped me understand what questions homeowners like you have about metal garages. I created this guide to help you get the answers you need to make the right decision for your situation.

Over the past several years, the demand for metal garages has continued to grow rapidly. **If you want to save time and money on your garage, you should read this guide now, before prices go up.**

If you happen to have any questions that aren’t answered in this guide, please give me a call or contact me through my website and I’ll be glad to help.

Sincerely,



Alan Bernau Jr.

**1-800-488-6903**

[alansfactoryoutlet.com](http://alansfactoryoutlet.com)

CHAPTER 1

# Is a Metal Garage Right for You?



Alan's  
FACTORY OUTLET

# Is a Metal Garage Right for You?

Are you considering adding a garage to your house? Here's a quick checklist to help you decide if a prefabricated metal garage is your best option.



## ✔ A metal garage is **right for you** if...

### **You have vehicles and equipment you want to protect**

A garage of any type will help protect your vehicles from damage caused by the sun, wind, rain, snow, ice, and hail. Unlike a carport, a metal garage can be securely locked to protect your vehicles, equipment, and other valuables from theft.

### **You have a limited budget**

Prefabricated metal garages are significantly less expensive than garages constructed with wood, concrete, and other materials.

### **You want a low-maintenance garage**

Steel garages last a long time and require very little maintenance. They don't rot, mold, or need to be repainted.

### **You want to increase the value of your home**

Adding an attractive metal garage to your house can make your property more appealing to potential buyers and increase the resale value of your home. The value of a garage area is usually at least a quarter of the value of your house (per square foot).

### **You don't want to fuss with a complicated and potentially expensive do-it-yourself project**

Building a garage yourself might seem like it would be cheaper than buying a prefabricated garage. But because manufacturers get volume discounts on materials and already have all the tools they need, buying a prefabricated garage often ends up being cheaper than building one yourself.

### ✘ A metal garage is **not right for you** if...

#### **Your budget is under \$5,000**

A basic, one-car garage installed on an existing concrete slab will generally cost at least \$4,500. A two-car garage starts at about \$6,500. If those prices are beyond your budget, a metal carport may be a better option for you.

Carports are about one-third the cost of a garage. If you're interested in a carport, download my [Carport Buyer's Guide](#) to learn everything you need to know about carports.

#### **You need a garage tomorrow**

Regardless of how you go about it, building a garage on your property will take time. In most cases you'll need to get a permit, prepare the site, have a concrete slab poured, and then schedule an installation. Metal garage manufacturers have lead times that can run from a few weeks to several months.

#### **You want an attached garage**

Most prefab metal garages will be installed as a detached outbuilding. The garage installers will need about three feet of space on every side of the garage in order to set it up (for some extra-large garages, even more space is needed). Local building codes may require additional space between buildings.

If you want an attached garage for your house, you'll probably need multiple permits and inspections—and

you'll probably want to hire a contractor to design and build it for you.

#### **You want to build an apartment in your garage**

Metal garages are excellent for storing cars and other items, but they aren't suitable for living spaces. If you're thinking about adding an apartment in or above your garage, a traditional stick-built garage might be a better option. Our prefabricated metal garages are not designed for use as living quarters.

#### **You belong to a homeowners association that doesn't allow detached garages**

If your property is subject to HOA rules or other restrictive covenants, you'll need to check what is allowed in your community before considering a detached garage.



What did you discover? Does a detached metal garage fit your needs? **In the next chapter**, you'll learn how to size your garage and get an initial estimate of how much your garage will cost.

CHAPTER 2

# How to Plan and Size Your Garage



Alan's  
FACTORY OUTLET

# How to Plan and Size Your Garage

Now it's time to figure out what size of garage you need and approximately how much it will cost.



## The size of your garage will affect two costs:

- 1 The cost of the garage (which includes the installation cost)
- 2 The cost of your foundation


**Most garages are installed on a concrete slab.** If you don't have a concrete slab yet, don't worry. I'll explain everything you need to know about garage foundations later in this guide. For now I'll just include the average cost of a concrete slab in the chart to help you figure out the approximate size of garage you can afford.

Use the following chart to get an idea of what size of garage is right for you:

Size	Dimensions	Garage Cost	Concrete Slab	Area
Small one-car garage	12' x 20'	\$4,500+	\$2,000+	240 sq. ft.
Large one-car garage with workspace	18' x 25'	\$5,500+	\$4,000+	450 sq. ft.
Small two-car garage	20' x 20'	\$6,500+	\$3,500+	400 sq. ft.
Large two-car garage	24' x 25'	\$8,000+	\$5,000+	600 sq. ft.
Large two-car garage with workspace	24' x 30'	\$9,000+	\$6,000+	720 sq. ft.
Three-car garage (doors on the side)	24' x 30'	\$10,000+	\$6,000+	720 sq. ft.
Two bay, four-car garage	24' x 40'	\$11,500+	\$8,000+	960 sq. ft.

## Planning a Custom Garage

If you want to calculate the exact dimensions that are ideal for your situation, you may want to sketch a floor plan. This sketch will give you a better idea of how your vehicles will fit into your garage, and how much storage space or workspace will be left over.





## CHAPTER 2

If you decide to draw a sketch, keep in mind that the inside dimensions of your garage will be about half of a foot smaller than the outside dimensions (the 14-gauge framing that is commonly used to build metal garages is 2 ½ inches wide).

### Step 1 Measure Your Vehicles

- Use a tape measure (this is easiest with two people).
- Estimate by stretching out both arms next to your car (the length between the tips of your fingers is about the same as your height).
- Use the vehicle size chart below.

### Step 2 Calculate Your Garage Width

Start with the widths of your vehicles, then add at least three feet of space between each wall and your vehicles, so you have enough space to open doors. You will also want at least three feet of space between each vehicle. If you want extra space for storage on one side of your garage, add that to your total width.

Vehicle Type	Width	Length	Height
Sports Car	5' ½ – 6' ½	13' – 16'	4' – 4' ½
Compact Car	6'	14' – 15'	5'
Mid-Size Car	6'	15' – 16'	5'
Full-Size Car	6'	16' – 17'	5'
Minivan or SUV	6' ½	16' – 17'	5' ½ – 6' ½
Full-Size Truck	6' ½	17' – 22'	6' ½
Class A RV	8' ½	29' – 45'	12' – 14' ½
Class B Camper Van	8'	17' – 23'	9' – 11'
Class C RV	8' – 8' ½	21' – 41'	10' – 12'

\* Widths do not include the width of rear-view mirrors.

Finally, add about ½ a foot to account for the width of the frame, which is about 2 ½ inches wide on each side.

**Example:** 3 feet of space + a 6 ½-foot-wide truck + 3 feet of space + a 6-foot-wide car + 3 feet of space + 2 feet of storage + about ½ of a foot for the frame = a 24-foot-wide garage

### Step 3 Calculate Your Garage Width

To calculate the depth you need, add at least one foot to each end of your longest vehicle, and then add any extra space you want for storage or a work area.

**Example:** 1 foot of space + a 19 ½-foot long truck + 1 foot of space + 8 feet of work area + about ½ of a foot for the frame = 30' deep. If your width and depth are both more than 30 feet, you may want to adjust your design so that at least one dimension is 30 feet or less. This will help keep the cost of manufacturing your garage reasonable. If you need a garage that is 32'x32', that's fine—it will just cost a lot more than a 30'x35' garage because a lot more metal is needed to support the roof. And that's all you need to know in order to plan and size your garage!



**In the next chapter,** I'll show you how to use an online garage designer to design and price your garage.

CHAPTER 3

# Design and Price Your Garage



Alan's  
FACTORY OUTLET

# Design and Price Your Garage

Now you're ready for the fun part: creating a 3D design of your new garage!

I've created a [free 3D garage designer tool](#) to make this part easy. But there is one thing I should mention before you get started. When you're using the [3D Garage Builder](#), you'll see a lot of options for customizing your garage. It's easy to get a little overwhelmed by all of these options, so in this guide I'll give you recommendations to help you make the best decision for your situation.



So keep this guide handy while you use the designer.

If you have access to a computer, consider using it instead of your smartphone to create your design. Although our 3D Garage Builder can operate on a smartphone, it's much more user-friendly on a larger screen.

## 1 Open the 3D Metal Garage Builder

On your computer, go to the [3D Garage Builder](#) at [alansfactoryoutlet.com](#).

## 2 Customize Your Garage's Size and Style

First, you'll be asked to select a building type. Select **"Garage."**

Next, you'll be asked to choose a roof style and frame size for your garage. You'll also have an opportunity to select from various options for your garage's colors, installation surface, gauge tubing, and metal sheeting.

## 3 Choose Your Roof Style

The vertical roof style is the best choice for most customers. If your budget allows, simply select the vertical roof option and continue.

If your budget is tight, a standard roof style is the least expensive option. The boxed-eave style is comparable to the standard roof style, but has a nicer appearance.

### Some reasons to choose the vertical roof style are:

- It is the strongest roof option.
- The vertical panels allow rain to run off immediately and make it easier for snow to slide off.
- A vertical roof is necessary for garages more than 30 feet wide or more than 35 feet long.

## 4 Choose Your Frame Size

When selecting the width and height of your garage, use the measurements you calculated in chapter 2 of this guide.

**! Important tip:**

Due to the manufacturing process, metal garages are cheaper to build long and narrow rather than short and wide. If you prefer a garage that is wider than it is deep, consider swapping the length and width dimensions and placing your garage doors on the side.

*For example, let's say you want a garage that is 34'x24'. If you swap the length and width and make it 24'x35', it will reduce the cost of your garage by almost 50%.*

**Note:** If you need custom dimensions that aren't available in the designer, just use the next larger size available. After you place your order you can let us know the exact dimensions you need, and we will match your dimensions without any additional cost.

For the side height, **nine feet** is best for most garages. If you want a wide, two-car garage door, you will need to make the sides 10 feet tall. For an RV garage, your garage door should be at least six inches taller than your RV, and your side height should be two feet taller than your tallest garage door.

## 5 Choose Your Installation Surface, Certification, Gauge Tubing, and Sheeting Thickness

**Installation Surface:** We'll cover this later in the guide. For now, you can select concrete.

**Certification and Gauge of Framing:** If you live in an area with hurricanes, strong windstorms, or lots of snow, you may want to select the heavier, 12-gauge tubing and upgrade your certification (if available).

**Sheeting Thickness:** Choose from standard 29-gauge galvanized steel sheet metal or thicker 26-gauge galvanized steel sheet metal.

## 6 Customize Sides and Ends

Here you can select the closed sides and ends of your garage in the style you prefer: horizontal, vertical, or lap siding. If you like the look of wainscoting, you also have the option of choosing vertical deluxe two-tone sides and ends.

You can also select sides and ends that are open or partially closed, in which case you turn your garage into a carport.

## 7 Customize Doors and Windows

### Garage Doors

I recommend adding separate garage doors for each vehicle, because two smaller garage doors are less expensive than a double garage door. Smaller garage doors are also easier to open and close.

Most people will want to use 9'x8' doors, but if you have a wide truck with large mirrors, the wider 10'x8' doors are better.

If you don't have any large vehicles and you're designing a two-car garage that is only 20 feet wide, then you'll need to use two 8'x8' doors or a double-wide 16'x8' door.

For an RV or other oversized vehicle, you'll need to measure your vehicle to determine the best door size. All of the garage doors hang down a little from the opening, so you should make sure your garage door is at least six inches taller than your vehicle.

## CHAPTER 3

The garage doors in the 3D designer are manual, roll-up style doors. If you need an automatic door, you can contact a company that sells garage door openers to discuss adding a rolling door opener to your garage later. You can also find DIY solutions for automating roll-up doors on YouTube.

Another option is to leave off the garage door, request a framed opening instead, and have a garage door company put in an automatic door after your garage is installed.

### Windows

Most of my customers add one walk-in door and one or two windows. Others prefer no windows, so this is really up to your preference.

### 8 Customize Colors

**Note:** As you design your garage in each of the above steps, you'll be able to choose from a wide array of attractive color options for the roof, trim, sides, ends, door(s), and vertical two-tone coloring (if you select that). We also include color selection as its own step before you complete your design to help make sure you're happy with your choices before ordering.

The colors you choose don't affect your price, so this is purely a matter of preference. Many people like white trim and white garage doors. Others match the color of

the trim or garage door to the color of the sides or roof. You can also choose to have the color of the screws used to assemble the garage match your building colors for a small extra charge.

### 9 Save Your Design

Once you finish your design, make sure to save it. Find the button that says "Share" in the top right of the 3D Builder page, click it, and enter your email address to get a link to the design sent to you.

Also be sure to note the price of your design. If you're satisfied with your design you can pay the deposit to lock in your price for up to 90 days. **My company guarantees a 100% refund of your deposit if you cancel for any reason before delivery**, so if you know you want a metal garage, there isn't any risk in placing your order now.

**!** **In the next chapter**, I'll tell you how to find your local planning department to inquire about laws that may affect your garage project—and I'll give you a list of everything you need to ask about local rules and regulations.

CHAPTER 4

# What You Need to Know About Regulations and Permits



Alan's  
FACTORY OUTLET

# What You Need to Know About Regulations and Permits

Before you build a garage, you will almost certainly need to get a permit from the local government. Permits can seem like a hassle, but they're required for a good reason. Each area has different soil conditions and weather patterns that need to be considered when building a garage. Local rules and regulations are designed to help you build a garage that is safe in local conditions.

**These rules and regulations govern the size, height, and location of any structure you add to your property.**

## Step 1 Check CC&Rs

Before you contact the local government, you should find out if your local community has any restrictions. If your property is part of a subdivision, it may be subject to Covenants, Conditions, and Restrictions (CC&Rs) that contain rules about what can and cannot be built on your land.

If you are part of a Homeowners Association (HOA), ask about restrictions on detached garages.

If you aren't part of an HOA, check the documents you signed when you bought your property to see if there are any CC&Rs that limit what you can build.



They include setback requirements, which dictate how much distance you'll need between property lines and your new garage.

If you're hiring a reputable contractor, they'll insist on getting a permit before installing your garage. Contractors who skip the permit process may also take shortcuts in construction, which could put you at legal risk and leave you with a poorly built garage.

## Step 2 Check Government Regulations

Your local planning department can tell you the general building rules and required setbacks that apply to your property.

You might be able to find all the rules online yourself, but it will probably take several hours to find the proper ordinances and read through hundreds of pages of zoning and building codes written in legal jargon.

It's much faster to just call the planning department and ask the specific questions that I'll provide below.

## CHAPTER 4

**Before you call, be sure to have this information ready:**

- Your address
- The length and width of your future garage
- An idea for where you want to put your garage

**The next step is to find the right phone number to call.** If you live in a town or city, do an internet search for your town or city's planning department. If you live outside of a town, search for the county's planning department. The local planning department may be called a "zoning department," "land use and development," "building and planning," or something similar.

For example, I did a search for "Page County VA planning department," and I found results for a "Planning Commission," "Planning & Community Development," and a "Zoning Office." The phone number was the same for all of them. Even if you call the wrong number, the person who answers the phone will probably be able to give you the right number to call.

### **A List of Questions to Ask the Planning Department (Have These Handy When You Call)**

- 1 Is my property in your jurisdiction?
- 2 How far does the garage need to be from the front, back, and sides of the property?
- 3 How far away does the garage need to be from the house?

- 4 (If you plan to put it in front of your house) Can I put it in front of my house?
- 5 (If you have a well or septic tank) How far does the garage need to be from the well and septic areas?
- 6 (If you're building a tall garage) Is there a height limit?
- 7 Are there any color or style restrictions for detached garages?
- 8 What permits and inspections are required for installing a detached metal garage?
- 9 What department is responsible for issuing permits? (If it's a different department, ask for the phone number.)

### **Here are the questions to ask the department that issues building permits:**

- 10 Is there an online application?
- 11 How long does it take to get a permit?
- 12 Are certified plans required for the permit?
- 13 What are the requirements for the foundation?
- 14 Does the area around the building need to be graded? How much?
- 15 Are there any wind, gust, or snow-load certification requirements?
- 16 How much does the permit cost?



**In the next chapter, I'll help you plan your garage site and get prepared for a successful installation.**



CHAPTER 5

# Planning Your Garage Site



# Planning Your Garage Site

In the last chapter you learned more about building rules, regulations, and required setbacks from your local planning and zoning department. Once you've done this, it's time to make a site plan. Grab a tape measure and head outside to the spot you want to put your garage.



## Step 1 Find a Level Spot

The foundation for your garage will need to be completely level. Level isn't the same as flat. Level means the ground doesn't slope.

**You need to find a location that is already pretty level,** or find an area that you can make level. In addition to a level area for the garage itself, you will need at least three feet of fairly level ground all around the building where the installation crew can safely place their ladders. If you are getting an extra-large garage (such as a commercial unit) that requires a forklift during the installation, you will need six to eight feet or more on all four sides.

**Your local building codes may require the ground around your garage to be graded** so that it slopes away from the building. Typically, the area where your garage will be installed should be about six inches higher than the ground 10 feet away from the building. Be sure to check the notes you took during your call with the building code department to confirm your local requirements.

A slight slope helps ensure that water flows away from the garage so that it won't harm the foundation. Even if your site isn't perfectly level, your concrete contractor can probably take care of the necessary grading. Excavation and grading will cost money, so it's best to pick a spot that is fairly level to start with.

## Step 2 Look Overhead for Utility Lines & Trees

Check for utility lines near the area you want the garage, as they can be a safety hazard when installing a metal garage. **Find a location that doesn't have any utility lines overhead or within 20 feet of the site.** If you want to put your garage anywhere near overhead lines, please give me a call to discuss your site before continuing.

The peak of an average-size metal garage will be about three or four feet higher than the height of the legs. If there are any trees with limbs that extend over the garage area, these should be trimmed to provide plenty of clearance to install the garage.

### Step 3 Mark Your Corners and Check Setbacks

Now you can mark four corners of your garage with stakes, sticks, or flags.

If your garage site is near any property lines, your house, outbuildings, a well, or a septic field, measure the distance to each of these, and make sure that the garage will be far enough away from all these objects and boundaries.

**Be especially careful about setbacks from property lines.** Often, fences are not right on the property line. You may need to leave an extra foot of space from a fence, just to be safe. If you want to put your garage near a road, double-check where the property line is. Often, the public right-of-way is much wider than the road, and your property line might be 10 feet or more away from the road or sidewalk (your local planning department should be able to tell you how wide the right-of-way is).

### Step 4 Check Underground

If you have any easements on your property, you're probably not allowed to build a garage above those areas.

**If you plan to do any grading or excavation,** you'll also need to check what is underground before you do any digging. Anywhere in the US you can call 811 or

visit [call811.com](http://call811.com) to request all underground utilities around the site to be marked.

If there are any utilities in the area around your building site, you may need to move your site or discuss other options with a concrete contractor.



Now you know how to create a thorough site plan. **In the next chapter,** you'll learn how to literally lay the groundwork for a successful garage installation by planning and pricing your new garage's foundation.

CHAPTER 6

# Planning and Pricing Your Foundation



Alan's  
FACTORY OUTLET

# Planning and Pricing Your Foundation

Jesus said that a wise man builds his house on a rock. Likewise, a wise homeowner builds his garage on a concrete slab.

If your local building department allows it, you can have a metal garage installed directly on the ground or on a gravel foundation (the installers can securely anchor the garage to the ground with rebar anchors or mobile home anchors). A dirt or gravel foundation might be fine for storing farm or garden equipment, but **if you're planning on using your garage for your vehicles, concrete is the way to go.**

On my website, you might see the option to install on



an asphalt foundation. That option is for carports. Because asphalt gives off a chemical smell, it isn't suitable for an enclosed garage that isn't well-ventilated.

Your foundation will be the second largest part of your total cost. If you're concerned that the cost of your foundation will make your garage unaffordable, I've included some do-it-yourself tips at the end of this chapter.

## Have an Existing Foundation?

If you have an existing foundation, you might be able to use it for your new garage. Check with your local building department to verify that it meets local building codes. If you're ordering a garage from Alan's Factory Outlet, the foundation should usually be at least a **foot wider and a foot longer** than the dimensions of your garage. This will allow the garage to be securely bolted to your foundation.

## Specs for Pricing a New Slab

In order to get accurate quotes for your foundation, you'll need to know a few details about garage foundations so you can ask the right questions. Having

some knowledge about foundations will also help you recognize whether the contractor you're speaking with is an amateur or a pro.

**Thickness.** A four-inch-thick concrete slab is suitable for most garage foundations, but local codes may require a thicker slab. If you need to park unusually heavy vehicles in your garage (like an RV), then your foundation should be six inches thick.

If you will be using heavy-duty floor jacks to lift vehicles in your garage, you may need additional support in the areas where you will place the jacks. Discuss your specific load requirements with a concrete contractor.

## CHAPTER 6

**Footings.** The concrete around the edges of your slab will need to be thicker than the rest of the pad in order to form a footing that will support the garage walls. Typically, local codes will require a footing that is at least 12 inches deep and 12 inches wide. Deeper footings may be required in your area if you have a lower frost line or other adverse conditions.

**Slope.** Your foundation slab should be completely level. This ensures that the building is properly installed, doors function smoothly, and you have a flat work surface. Additionally, a level slab is the most cost-effective type to pour.

If you're wondering why attached garages have a few inches of slope from back to front, the reason is to allow water to run out of the garage. An attached garage will often have a water heater and a washing machine that need to be drained for repair, so this is important. But for a detached metal garage, a level floor is better. If you want to wash out your garage occasionally, you can use a squeegee to sweep excess water out of the garage.


**Size.** Most of the metal buildings that I sell require a concrete slab that is one foot wider and one foot longer than the base of the garage. This ensures that the heavy-duty concrete bolts that anchor the garage to the ground won't crack the concrete near the edges of the pad.

However, some of the garages I sell require a concrete pad that is the exact size of the base of the building. So I created a [concrete pad size calculator](#) that you can use to easily determine the right size of slab for a garage in your specific location.

**Edges.** In most locations, the engineers who design our garages recommend a concrete pad that is larger than the base (footprint) of the garage. Recommendations vary based on location and building size. You can use our concrete pad size calculator to get an initial understanding of the concrete pad required for your building.

If your concrete pad is larger than the base of your garage, it creates a 6-inch "curtain" around the edges of your garage. If this curtain is level with the rest of the foundation, water running down the outside walls of the garage will tend to pool around your garage and seep in under the bottom rail of the frame.

One method we've found to prevent this water leakage under the framing is to slope the 6-inch curtain downward very slightly. You can also step down the concrete by  $\frac{3}{4}$  of an inch and create a ledge. **Note:** It is very important that if you slope the concrete curtain or create a ledge, that your level portion of the slab is large enough for the footprint of the building.



The person who builds the frame for pouring your slab can form a sloped or lowered ledge by placing six-inch boards inside the form boards,  $\frac{3}{4}$ " of an inch lower than where the top of the slab will be. If you decide to leave the ledges at the same level as the rest of the slab, you should apply a concrete sealant around the base rail of your garage after it is installed to prevent water from seeping into the garage.

**Gravel.** Compacted gravel provides a stable, level base for a concrete slab. It also helps prevent moisture in the ground from seeping into your foundation. I recommend putting down gravel before you pour a slab, but it may not be required in your area.

**Vapor Barrier.** Most contractors will place a thin vapor barrier on top of the gravel (or dirt), and will pour the concrete on top of this vapor barrier. The vapor barrier serves two purposes. First, it can help ensure a stronger slab by preventing water in the concrete from draining into the gravel while the concrete is curing.

The second purpose of the vapor barrier is to reduce the amount of water that can seep up from the ground, through the porous concrete slab, and into your garage. Ground moisture is especially a concern if you won't have any gravel under your concrete slab.

**Apron.** You will probably need a concrete apron in front of your garage to serve as a ramp up to the top of the slab, which should be a few inches above ground level. If you also want a driveway, now is the time to figure out how large you want it to be.

### Get Quotes

**The easiest way to find a good concrete contractor is to call the nearest Ready Mix supplier.** Talk to the concrete dispatcher and ask for the names of the best two or three concrete slab contractors in the area. The dispatchers usually know who does good work since they deliver concrete to everyone.

If you can't get good recommendations from a concrete supplier, just do an internet search for "concrete contractor near me." In the search results you'll find lots of "middleman" sites like HomeAdvisor, Angi, Thumbtack, and Handy. These sites will offer to give you quotes from local professionals if you fill out a form on their website.

**What you may not realize is that most of these sites will sell your contact information to several contractors.** Each contractor has to pay expensive fees that can run over a hundred dollars, just to call you. If these middleman sites show you a list of local companies, you can just look up each company online to find their website or phone number instead of filling out forms to get quotes.

### When you call each contractor, here's a list of talking points to get the information you need:

- Ask if they pour foundations for detached metal garages.
- Ask them how many garage and carport foundations they do a year.
- Explain your project and ask for their recommendations.

## CHAPTER 6

- Ask if they recommend gravel and/or a vapor barrier.
- Ask how they cure the concrete after it is poured.
- Get a quote. Make sure you know what is and is not included in the quote.
- Ask for some recent references (homeowners who they poured a garage floor for).

Let each contractor talk enough for you to get a feel for whether they would be a good fit for your job or not. Take good notes, so you'll know who to call back later when you're ready to start.

### Want to Do It Yourself?

**The cost of labor is the biggest factor in the price of your garage foundation.** If you can't afford to hire a professional, you may be able to cut your cost in half by pouring the foundation yourself.

But remember, the foundation is a critical part of your garage, and mistakes can be expensive.

If you have plenty of time available and are willing to learn, I recommend you do two things before you decide to pour your own foundation:

### 1 Calculate the cost of materials

Use a [concrete slab calculator](#) and a [slab installation cost calculator](#) to estimate the amount and cost of materials you will need. You should add a generous buffer to your estimate for unexpected expenses.

### 2 Learn from a pro

It's better to learn exactly what you need to do from a pro than to make expensive mistakes. There's a guy named Mike Day who has an online [concrete slab course](#) for a reasonable price. It comes with a money-back guarantee, so if you take the course and decide that the job is more than you can handle, you can get a refund.



If you've read this far, well done. I know it's a lot of information, but necessary to share since your garage's foundation is so crucial. **In the next chapter**, I'll share multiple options for financing your new garage.



CHAPTER 7

# Get Financing and Place Your Order



Alan's  
FACTORY OUTLET

# Get Financing and Place Your Order

By now, you should have a pretty good idea about how much your garage will cost.

You know:

- The cost of the prefab garage you want, including installation
- The cost of permits
- The cost of a concrete foundation for your garage



Once you total those up, you'll know the total cost of your project and how much financing you may need (if any). If you've got the cash you need to pay for everything, you just need to order your garage to get started. You only need to pay us a deposit when you order, which is usually between 10% and 17% of the total. The balance isn't due until after the garage is installed (unless you are ordering a very large garage over \$15,000, in which case 50% of the balance is due when your installation is scheduled). You can pay both amounts with any major credit card.

**If you need a way to finance your garage, here are some options:**

**Second Mortgage or Home Equity Line of Credit (HELOC).** If you've been paying off your mortgage or your house is worth more than what you paid for it, you probably qualify for a second mortgage or a line of credit on your house. Like your primary mortgage, these types of loans are secured by the value of your home.

As a result, the interest rate is usually very reasonable. A second mortgage is good for a one-time purchase. A HELOC is a line of credit that you can use again and again as needed. The line of credit will give you more flexibility for your project, and you can also use it for other large purchases or emergencies in the future. Some HELOCs are much more flexible than others, and rates vary, so it pays to shop around at local banks. If a bank turns you down due to insufficient income or equity, a local credit union might still consider giving you a loan. However, be prepared for extensive paperwork and some waiting time while your loan is processed and approved.

**Zero-Interest Card.** If you know you'll be able to pay off the total in less than two years, a zero-interest credit card may be an option. Some cards don't charge interest for up to 21 months. But you'll need to check the terms carefully and make sure that your credit limit will be large enough to cover the necessary expenses.

## CHAPTER 7

**Personal Loan.** Many banks, credit unions, and peer-to-peer lending sites offer unsecured personal loans for large purchases. The interest rates are usually less than a credit card, but higher than a HELOC. You'll also probably have to pay a one-time origination fee in addition to the interest, which adds to the total cost of the loan. A HELOC is usually a better choice than a personal loan—but you will probably be able to get a personal loan faster and with less hassle.

**Cash-Out Refinance.** If you have a high interest rate on your mortgage, a cash-out refinance could provide the funds you need for your garage and lower your interest rate. You might even be able to lower your mortgage payments. Remember that you'll have to pay closing fees though, which can be expensive.

### Place Your Order

Once your financing is in place, you're ready to order. If you've saved your design, locate the email with your design link and open it in the online designer. If you can't find your saved design or want to start from scratch, visit the [3D Garage Builder on our website](#).

Once you have everything the way you want it, place your order and pay the deposit to lock in your price.

**Remember that when you place an order with Alan's Factory Outlet, you can cancel for any reason before delivery and get your full deposit back.**

After you place your order, my team will send you information about requesting a permit and getting your site ready for installation. Then we will hold your order until your permit is issued and your site is ready. Once you have everything ready, we'll notify the manufacturer, and your order will be put in a queue for scheduling. If you need to make customizations to your design that aren't possible with the 3D Garage Builder, just give me a call at 1-800-488-6903.



**In the next chapter**, I'll walk you step by step through the process of getting your permit.

CHAPTER 8

# Time to Get a Permit



Alan's  
FACTORY OUTLET

# Time to Get a Permit

You've already learned how to design and price your garage, check out local building regulations, create your site plan, plan the foundation, and place your order. Now it's time to request a permit.

**To begin**, pull out the notes you took when you spoke to your local building department, and find the online or paper application form for a building permit. In your jurisdiction, this may be a permit for an "accessory structure," or it may be a more general "residential building permit."

A few local governments require the manufacturer to apply for (or pick up) the building permit. If this is the case in your area, please let us know.

**Engineer Plans.** If the building department requires a set of generic engineer plans to review, let us know ASAP. We will get the plans ordered, and the manufacturer will send them to you by email in 1-2 weeks. If your local government requires "wet seal" plans (a set of plans that have been physically stamped with a rubber seal), these will have to be mailed to you, and this will take longer.



**Site Plan.** Many building departments will require you to sketch a map of your property, showing the location of your proposed garage in relation to the boundaries of your property and other buildings, wells, and septic fields on your property.

**To complete your application**, finish filling out the application form and pay the fee.

**Send us a copy or photo of your permit.** Once you get the permit, send us a copy so we'll know you've completed this step. We won't be able to schedule your installation until you've done so.

If you haven't ordered your garage yet, be sure to place your order at [alansfactoryoutlet.com](https://alansfactoryoutlet.com) prior to applying for your permit.

**!** **If you've completed all the steps up to this point, great job!** You're nearly ready for your new garage to be installed. But first you'll need to prepare your site and foundation, which **I'll cover in the next** chapter.

CHAPTER 9

# Complete Site Prep and Foundation



Alan's  
FACTORY OUTLET

# Complete Site Prep and Foundation

Now it's time to get the site for your future garage ready for installation.



## Ground or Gravel Installation

If your garage will be installed directly on the ground or a gravel base, here's what you need to do:

**(Note:** These instructions do not apply to a concrete foundation.)

- 1 Mark the four corners where your garage will be installed with a flag or a stake.
- 2 Make sure the length of each side is correct, and that the diagonal distance between two opposite corners is the same as the distance between the other two opposite corners.
- 3 Use a tool called a level to make sure each side is level. If you only have a bubble level, you can also run a string between the corner stakes to help you make sure each side is completely level and that there aren't any high or low spots.
- 4 Make sure that there is enough clear, fairly level space on every side of the garage area, so the installation crew will have space to work.

- 5 Take at least one photo from each of the four sides to show that the whole area is clear and level. When you take the photos, be sure to stand far enough back so the whole site is included in each photo.

## Concrete Slab

After you order a metal garage, we'll send you a set of specific recommendations and diagrams for your foundation. Share these recommendations and diagrams with your concrete contractor and get your slab installation scheduled.

The best time to pour concrete is when the weather will be above 50 degrees for a week. If the weather is too cold (below 40 degrees), the concrete can't set and cure. So if you're up north and it's winter, you'll probably have to wait for warmer weather.

## Cure Your Slab

**Be sure to ask your contractor for advice on the best way to cure your slab for maximum strength.**

Curing is the result of a chemical process called hydration that occurs between the cement and water

that are in the concrete mix. As the cement reacts with the water, it forms crystals that bind the aggregates in the concrete together. As this chemical reaction proceeds, the concrete becomes harder and stronger. Usually the concrete will “set” within 24 hours, at which point it is strong enough for a person to walk on without leaving footprints.

After the concrete has set, your slab will continue to harden for years, as long as water is present in the slab for the reaction to continue. However, most of the strengthening will occur in the first few weeks. After a month your slab will have almost reached its full strength.

**Keep It Wet.** In order for your concrete to reach its full strength, you must prevent too much moisture from escaping from the concrete while it is curing. You should do your best to keep your slab wet for at least one week after it is poured, as long as the outside temperature is above 50 degrees (when it is colder or very humid, there’s no need for more water).

The easiest way to keep your foundation wet is to use a sprinkler with a fine mist setting. Be careful not to spray so much water on your slab that it floods the area around your foundation and compromises its stability.

If the weather is warm enough and you keep the surface moist, the concrete should reach about two-thirds of its full strength within the first week. At this point you can drive on the slab if you need to.

However, you might want to keep your slab wet for a few more weeks so the curing process will continue to strengthen your foundation.

If you don’t think you’ll be able to keep your slab wet for a week or more, your contractor may be able to lay a hassle-free curing blanket, like the **UltraCure NCF** curing blanket, that will keep your slab moist and warm while it cures. There are many other curing techniques as well, so ask your contractor for his recommendation.

### Get Your Garage Installation Scheduled

**Once your slab is in place, send us four photos of your site.** Take one photo from each side, from a distance, so we can see that the site is ready and that there is at least three feet of fairly level ground on each side for the installation crew (for extra-large garages, plan on six to eight feet or more of space on all four sides). Once we receive these photos and a copy of your permit, your order will be put in a queue for scheduling.

Congratulations! At this point, your garage buying journey is nearly complete—unless you haven’t ordered your garage yet.

If that’s the case, head over to [alansfactoryoutlet.com](https://alansfactoryoutlet.com) and place your order.



**In our next and final chapter, we’ll go over the installation scheduling process and what to expect.**



CHAPTER 10

# While You Wait



Alan's  
FACTORY OUTLET

# While You Wait

Waiting for your garage to be installed can seem like the hardest part of your whole garage buying journey. Fortunately, your patience will be rewarded with years of benefits once we install your new garage.



In order to provide the best quality metal structures at the lowest possible price, our deliveries must be grouped into batches. **This is how the scheduling process works:**

- 1 You get a permit and prepare the site.
- 2 You let us know you are ready for installation.
- 3 Your job is put into a queue of orders.
- 4 When there are enough orders for a job route to be scheduled in your area, you'll get a call to let you know which day your garage is scheduled to be installed.

Unfortunately, this means that you won't know which day your garage will be installed until a few days in advance. Also, since your installation will be part of a multiple-day route, if the installation crew runs into problems with a building they are installing before yours, they'll need to call you to push the installation time back. They may even need to reschedule your installation for the next route. Hopefully this inconvenient situation won't happen to you, but I trust you understand the challenges that the installers sometimes face.

Depending on the size and location of your order, it can take anywhere from a few weeks to several months for your garage to arrive. **However, for 90% of orders, delivery happens within 60 days of the order being received by the factory.** On my website's home page and [estimated delivery time page](#) you can find estimated delivery times for your area by entering your zip code.

In a few cases, the wait time is much longer than expected, but most orders are delivered within the estimated time frames.

I know it can be frustrating to wait for your garage when you don't know exactly when it will be delivered. If the wait time for your installation doesn't work out for you, you can always get a full refund of your deposit. But again, a little patience will pay off—and soon you'll have a beautiful, high-quality metal garage and the many benefits that come with it.

Once your garage has been installed, please send me some photos or a video! Every month I give a \$250 Amazon gift card to one person who has shared a photo that month, and a \$500 gift card for someone who has sent in a video. I'd love to see how your garage looks once it's installed and put to good use.

## CHAPTER 10

Speaking of which, have you ordered your garage yet?

The faster you order it at [alansfactoryoutlet.com](https://alansfactoryoutlet.com), the faster it will be delivered, so be sure to place your order as soon as possible.

### Final Thoughts

I hope this guide has been helpful as you research and plan your garage. If you happen to have any questions that I didn't answer in this guide, give me a call or contact me through my website, and I'll be glad to help.

I wish you all the best in your garage buying journey!

Thank you,



Alan Bernau Jr.


**1-800-488-6903**

[alansfactoryoutlet.com](https://alansfactoryoutlet.com)



# Customize Your Own Metal Garage or Carport With Our 3D Builder

Easily design, price, and buy it online—  
plus get **free shipping and installation!**



**Customize Your Own**