
# 12' - 24' WIDE CARPORTS

**REGULAR ROOF** 







**BOXED EAVE ROOF** 

#### Includes 6" overhang on all sides

12x20	18x20	20x20	22x20	24x20
\$1,595	\$1,795	\$1,995	\$2,195	\$2,395
12x25	18x25	20x25	22x25	24x25
\$1,895	\$2,195	\$2,395	\$2,595	\$2,795
12x30	18x30	20x30	22x30	24x30
\$2,295	\$2,595	\$2,795	\$2,995	\$3,195
12x35	18x35	20x35	22x35	24x35
\$2,595	\$2,995	\$3,195	\$3,395	\$3,595



Includes 6" overhang on front & back

12x20	18x20	20x20	22x20	24x20
\$1,495	\$1,695	\$1,895	\$2,095	\$2,295
12x25	18x25	20x25	22x25	24x25
\$1,695	\$1,995	\$2,195	\$2,395	\$2,595
12x30	18x30	20x30	22x30	24x30
\$2,095	\$2,495	\$2,695	\$2,895	\$3,095
12x35	18x35	20x35	22x35	24x35
\$2,395	\$2,795	\$3,095	\$3,295	\$3,495

### WE ONLY USE HIGH QUALITY GALVANIZED STEEL

#### 29 GAUGE SHEET METAL SPECS:

- ASTM A653 Grade 80
- G40 Galvanized Coating or AZ40
- 20-Year Beckers Paint System
- ASTM A653 HSLA Grade 50

**TUBE FRAME SPECS:** 

- G60 Galvanized Coating
- 14 Gauge Steel / Optional 12 Gauge



- -


Pricing shown is for risk category I/wind exposure B. Please see back page for risk category II/wind exposure options.

All base units include standard 6' legs (eave height).

Ref. number : 24199S

## STANDARD FEATURES Pre-engineered 25PSF-120MPH (3 second gust ultimate wind speed (Vult) 105-120mph / Nominal wind speed 81-93mph)

Standard carport features include the following: 14 gauge galvanized steel framing, 29 gauge metal roofing with 20 year Beckers paint system, framing spaced 5' on center. Includes both peak and leg braces for additional strength and stability. Concrete Anchors or Rebar Anchors are included in the base price. For ground installation add Earth Auger Anchor Package (sold separately). Eagle Carports, Inc. is not responsible for stopping, or repairing leaks under base rails. Base leg height is 6' tall. Please note: Eagle Carports, Inc. does not provide site work. Customers are required to contact local building/ zoning departments about codes for permitting purposes before order finalization. Alabama orders requiring higher loads will incur additional site-specific drawings. Please call for more details.



# **OPTIONAL FEATURES FOR 12' - 24' WIDE CARPORTS**

**OPTIONAL 12G FRAME UPGRADE** 20' L 25' L 30' L 35' L 40' L 45' L 50' L 12-18' Wide \$590 \$645 \$700 \$755 \$810 \$865 \$920 6'-13' Tall 20-24' Wide \$765 \$870 \$975 \$1.080 \$1.185 \$1.290 \$1,395 12-18' Wide \$885 \$970 \$1,055 \$1,140 \$1,225 \$1,310 \$1,395 14'-16' 20-24' Wide Tall \$1.145 \$1.300 \$1.455 \$1,610 \$1,765 \$1,920 \$2,075 **EARTH AUGER ANCHORS** \$120 \$180 \$180 \$240 \$240 \$240 \$300 FLUSH MOUNT KIT \$200 \$220 \$240 \$260 \$280 \$300 \$320 35/140 RATING UPGRADE Upgrade includes wind exposure C, risk cat 2, & seismic C (Non-livable quarters/structures) \$300 (Additional to deposit) Earth auger anchors if on ground or flush mount if required. (Not applicable for Alabama.) HEIGHT 20' L 25' L 30' L 35' L 40' L 45' L 50' L 7' \$80 \$100 \$120 \$140 \$160 \$180 \$200 HEIGHT 8' \$160 \$200 \$240 \$280 \$320 \$360 \$400 9' \$240 \$300 \$360 \$420 \$480 \$540 \$600 10' \$560 \$640 \$720 \$800 \$320 \$400 \$480 / LEG \$400 \$500 \$600 \$700 \$800 \$900 11' \$1,000 \$750 \$900 \$1,050 \$1,200 \$1,350 12' Reinforced Legs \$600 \$1,500 EAVE 13' Reinforced Legs \$800 \$950 \$1.100 \$1,250 \$1.400 \$1.550 \$1,700 \$1,200 \$1,400 \$1,600 \$1,800 \$2,000 \$2,200 \$2,400 14' Double Legs \$1,400 \$1,600 \$1,800 \$2,000 \$2,200 \$2,400 \$2,600 15' Double Legs \$2,400 \$2,600 \$2,800 \$1,600 \$1,800 \$2,000 \$2.200 16' Double Legs HEIGHT 20' L 25' L 30' L 35' L 40' L 45' L 50' L \$550 \$750 \$850 \$950 \$650 \$1,050 \$1,150 6' 7′ \$675 \$800 \$925 \$1,050 \$1,175 \$1,300 \$1,425 SIDES 8' \$750 \$900 \$1.050 \$1,200 \$1.350 \$1.500 \$1,650 9' \$810 \$975 \$1.300 \$1,140 \$1.465 \$1.625 \$1.790 BOTH 10' \$875 \$1,050 \$1,225 \$1,400 \$1,575 \$1,750 \$1,925 11' \$975 \$1,175 \$1,375 \$1,575 \$1,775 \$1,975 \$2,175 12' \$1,250 \$1,890 \$1,035 \$1,465 \$1,675 \$2,100 \$2.315 CLOSE 13' \$1,100 \$1,325 \$1,550 \$1,775 \$2,000 \$2,225 \$2,450 14' \$1,280 \$1,530 \$1,780 \$2,030 \$2.280 \$2.530 \$2,780 15' Vertica \$1.950 \$2,360 \$2,770 \$3,180 \$3,590 \$4,000 \$4,410 \$4.050 \$4,460 16' Vertical \$2,000 \$2,410 \$2.820 \$3.230 \$3.640 6'-8' \$320 \$400 \$480 \$560 \$640 \$720 \$800 VERT. 9'-12' \$460 \$940 \$580 \$700 \$820 \$1,060 \$1,180 13'-14' \$600 \$760 \$920 \$1,080 \$1,240 \$1,400 \$1,560 **V. WAINSCOTING** \$320 \$400 \$480 \$560 \$640 \$720 \$800 HEIGHT 12' W 18' W 20' W 22' W 24' W \$715 \$925 6' \$510 \$785 \$855 7' \$610 \$885 \$975 \$1,065 \$1.155 \$895 END 8 \$620 \$985 \$1,075 \$1,165 9' \$635 \$910 \$1,000 \$1,090 \$1,180 10' \$695 \$1,015 \$1,125 \$1,235 \$1,345 **CLOSE ONE** End 11' \$705 \$1,045 \$1,265 \$1,155 \$1,375 Per 12' \$735 \$1,090 \$1,210 \$1,330 \$1,450 13' \$850 \$1,260 \$1,530 \$1,665 \$1,395 14′ \$1,050 \$1,500 \$1,650 \$1,800 \$1,950 15' Vertical n/a \$1,865 \$2,055 \$2,245 \$2,435 \$2,485 16' Vertical n/a \$2.045 \$2.265 \$2.705 6'-8' \$150 \$225 \$250 \$275 \$300 VERT. 9'-12' \$175 \$250 \$275 \$300 \$325 END Per Ena 13'-14' \$200 \$275 \$300 \$325 \$350 V. WAINSCOTING Per End \$270 \$330 \$360 \$180 \$300

With Flush Mount Kit Without Flush Mount Kit Cement pads do not require additional width. All cement pads require 2" wider on all sides. Ex. 20' x 30' unit will need a 20'x 30' pad. Ex. 20' x 30' unit will need a 20'4" x 30'4" pad. WALK-IN DOORS - 36"X80" **EXTRA PANELS** MHD:Right H. Outswing | RD: Right H. Inswing LENGTH PRICE \*J-TRIM Mobile Home Door \$395 20' \$120 Add \$75 9 Light Steel Door \$575\* 25' \$140 Add \$90 \*Special Order item. ONLY available to install on cement. 30' \$160 Add \$105 GABLE ON END Priced Per End \*\*35' \$180 Add \$120 For Vertical Gable multiply price by 1.5. For Extended Horizontal Gable multiply by 2. For Extended Vertical Gable multiply by 3 \*\*40' \$205 Add \$135 12' W 18' W 20' W \*\*45' \$230 Add \$150 \$175 EA. \$275 EA. \$300 EA. \*\*50' \$255 Add \$165 \*Extended Gables have an additional 3' of coverage. \*[-Trim price covers both sides \*\*Not a continuous panel TRIMMED HALF PANELS 12' - 30' Kit made for both sides. Package price cannot be halved. **ROLL UP GARAGE DOORS** 20' L 25' L 30' L 35' L Size **Door Price** Header price \$225 \$250 \$275 \$200 6'x7' \$605 End \$0 | Side \$150 8'x8' \$805 End \$0 | Side \$150 CORNER KIT Must add Gable 9x8′ \$875 End \$0 | Side \$150 Legs 6' - 8' Legs 9' - 12' Legs 13' - 16' 10'x8' \$975 End \$100 | Side \$150 \$225 \$375 \$525 \$1,225 10x10' End \$100 | Side \$150 2' wide max on each side. Must pair with gable. 12'x12' \$1.925 End \$150 | Side \$300 STANDARD HEADERS / LARGE OPENINGS UNITS 12' - 30' \*14′x14′ \$2.895 End \$150 | Side \$300 **OPENINGS ON THE SIDE** \*Special order door, lift required for installation \$150 Opening 6-11' Wide ELECTRIC GARAGE DOOR OPENER KIT Opening 12-16' Wide \$300 Opening 15' Wide Per Door \$950 NOT COMPATIBLE WITH WINDLOCK DOORS OR 12'x12' & 14'x14' DOORS \*Side must be 1' taller than desired door height. 14'x14' requires 2 foot taller. 45° TRIM KIT Must include with garage door purchase. Garage Door or Frame Out Add-on Per Opening \$100 Not available on 6' tall buildings. Price is \$4/ft x HORIZONTAL WAINSCOTING Perimeter on buildings with 10' and 7' eaves. Must close end or side WELDED TRUSS UPGRADE 18'W - 24'W 20' L 25' L 30' L 35' L Welded Truss Vary By Size \$200 \$250 \$300 \$350 12' - 24' W **EXTRA RAFTERS/ BOWS** \$150 EA. \$

\$400 \$450 \$500 **ADDITIONAL HEIGHT** 6' standard incl. \$20 per foot up to 14' tall.

REF. # 24199S

WINDOWS White with Grid

30"X36"

\$215

24' W

\$350 EA.

50' L

\$450

WALK-IN DOOR

\$85

\$150

\$300

\$400

50' L

24"X36"

\$195

22' W

\$325 EA.

45' L

\$425

FRAME OUTS

Use for framing of customer provided windows & doors

**OPENINGS ON THE END** 

45' L

40' L

\$400

WINDOW

\$70

Opening 6-14' Wide

Opening 16' Wide

40' L

	SIL	DE CONNE	CTION FE		LEAN TO CON	INECT	ION FEES ON E	:ND					
20' L	25′ L	30′ L	35′ L	12' - 22' WI	DE	24' WIDE							
5120	\$140	\$180	\$300 \$400										
	INSULATION												
D	OUBLE BI	JBBLE TYI	PE (MOIST	R5 \$1.50 SF									
		2" FIB	ERGLASS	R7 \$2.25 SF									

**CONCRETE DIMENSIONS** All stated dimensions are in reference to the frame size, not the roof dimensions.

Roof (Vertical Only): Add 2' to width and multiply by length. Ex. 24' wide x 26' long 26 x 26 = 676 SF x \$/per SF Sides: Multiply leg height by length by 2. Ex. 26' long x 10' tall  $10 \times 26 = 260 \times 2 = 520$  sf x \$/per SF

Ends: Add 1.5 to leg height, multiply by building width. Ex. 24' wide x 10' tall  $11.5 \times 24 = 276 \times 2 = 552 \text{ sf x }/\text{per SF}$ 

ADDITIONAL LABOR FEES	20′ L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L
Build Over Fee	\$150	\$175	\$200	\$250	\$275	\$325	\$350
Cut Legs on Site*	\$100	\$125	\$150	\$175	\$200	\$225	\$250

\*Cut leg fee has a maximum of 12" adjustment possible, either front to back or side to side. Please note, side to side on level lots will result in gap underneath garage doors.

Vertical sides and ends must have vertical roof style

# 26' - 30' WIDE CARPORTS









**BOXED EAVE ROOF** 

#### Includes 6" overhang on all sides

26x20	28x20	30x20
\$2,695	\$2,845	\$2,995
26x25	28x25	30x25
\$3,295	\$3,445	\$3,595
26x30	28x30	30x30
\$3,795	\$3,995	\$4,195
26x35	28x35	30x35
\$4,395	\$4,645	\$4,895



Includes 6" overhang on front & back

26x20	28x20	30x20
\$2,595	\$2,745	\$2,895
26x25	28x25	30x25
\$3,195	\$3,345	\$3,495
26x30	28x30	30x30
\$3,695	\$3,895	\$4,095
26x35	28x35	30x35
\$4,295	\$4,495	\$4,695

### WE ONLY USE HIGH QUALITY GALVANIZED STEEL

#### **29 GAUGE SHEET METAL SPECS:**

- ASTM A653 Grade 80
- G40 Galvanized Coating or AZ40
- 20-Year Beckers Paint System
- TUBE FRAME SPECS: ASTM A653 HSLA Grade 50
  - G60 Galvanized Coating 14 Gauge Steel / Optional 12 Gauge




All base units include standard 6' legs (eave height).

*Ref. number : 241995* 

Pricing shown is for risk category I/wind exposure B. Please see back page for risk category II/wind exposure options.

**STANDARD FEATURES** Pre-engineered 25PSF-120MPH (3 second gust ultimate wind speed (Vult) 105-120mph / Nominal wind speed 81-93mph) Triple Wide carport features include the following: 14 gauge galvanized steel framing, 29 gauge metal roofing with 20 year Beckers paint system, framing spaced 5' on center. Includes both peak and leg braces for additional strength and stability. Concrete Anchors or Rebar Anchors are included in the base price. Earth Auger Anchor Package included. Eagle Carports, Inc. is not responsible for stopping, or repairing leaks under base rails. Base leg height is 6' tall. Please note: Eagle Carports, Inc. does not provide site work. Customers are required to contact local building/zoning departments about codes for permitting purposes before order finalization. Alabama orders requiring higher loads will incur additional site-specific drawings. Please call for more details.



# **OPTIONAL FEATURES FOR 26' - 30' WIDE CARPORTS**

**REF. # 24199S** 

OPTION	AL 12G FRAME U	PGRADE			0′ L 35′	-	45′ L	50′ L	С		IMENSIONS All st	ated dimensions o	are in reference			e roof dimension <b>Mount Kit</b>	ons.
26' -	30' Wide (6'-13' Ta	ıll)	\$1,110	\$1,270 \$1	,430 \$1,5	90 \$1,750	) \$1,910	\$2,070	Cemer		ot require additio	nalwidth	All ce			2" wider on al	ll sides
26' - 3	30' Wide (14'-16' T	all)	\$1,665	\$1,905 \$2	,145 \$2,3	85 \$2,625	5 \$2,865	\$3,105			it will need a 20'x 30' p					a 20'4" x 30'4" pc	
F	LUSH MOUNT KI	Т	\$200	\$220 \$2	240 \$26	50 \$280	\$300	\$320		EXTRA PA	NELS	WAL	K-IN DOORS	- 36″X80″		NINDOWS W	It is with Calif
	RATING UPGRAD	E \$300	Upgrade inclu	des wind exposi	ure C, risk cat 2,	& seismic C (Non	-livable quarter:	s/structures)	LENGTH			MHD:Right H	l. Outswing   R	D: Right H. In	swing		
(Adc	litional to deposit)	\$300	Earth auger a	nchors if on gro	und or flush mou	int if required. (N	lot applicable fo	or Alabama.)	20'	\$120			Home Doo			24"X36"	30"X36"
	HEIGHT	20'	L 25' I	. 30′ L	35′ L	40′ L	45′ L	50′ L	25'	\$140		0	Steel Door		75*	\$195	\$215
	7'	\$8				\$160	\$180	\$200	30'	1 1		*Special Ord	er item. <b>ONL</b>				
노	8'	\$16				\$320	\$360	\$400		\$160		Fact to diand Cable and		E ON END			
ש	9'	\$24				\$480	\$540	\$600	**35'	\$180						by 2. For Extended Vertice	
неіднт	10′	\$32	20 \$40	\$480	\$560	\$640	\$720	\$800	**40'	\$205	Add \$135	26' \		28′			)' W
LEG	11′	\$40	0 \$50	5 \$600	\$700	\$800	\$900	\$1,000	**45′	\$230	Add \$150	\$425	EA.	\$475	5 EA.	\$52	25 EA.
	12' Reinforced Le	gs \$60	0 \$75	) \$900	\$1,050	\$1,200	\$1,350	\$1,500	**50′	\$255	Add \$165	*[	Extended Gab	oles have an	additiond	ll 3' of coverag	ze.
EAVE.	13' Reinforced Le	gs \$80				\$1,400	\$1,550	\$1,700	*J-Trim	price covers	both sides		TDIM	MED HALF		12' - 20'	-
EA	14' Double Legs		-			\$2,000	\$2,200	\$2,400	**No	t a continuc	ous panel	ŀ				annot be halved	d.
	15' Double Legs					\$2,200	\$2,400	\$2,600				20′ L	25' L 3	0'L 35	"L 40	)' L 45' L	50' L
	16' Double Legs	\$1,60	0 \$1,80	0 \$2,000	\$2,200	\$2,400	\$2,600	\$2,800		L UP GARAG				250 \$2	7E ¢ /	00 \$425	
	HEIGHT	20′ L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L	Size Do	or Price	Header price	\$200	ΨΖΖΌ ΨΖ	250 PZ	/J ⊅4	.00 ⊅425	\$450
	6'	\$550	\$650	\$750	\$850	\$950	\$1,050	\$1,150	6'x7'	\$605	End \$0   Side \$150	COR	NER KIT Mus	t add Gable		FRAME (	OUTS
	7'	\$675	\$800	\$925	\$1,050	\$1,175	\$1,300	\$1,425	8'x8'	\$805	End \$0   Side \$150	Legs 6' - 8'		2' Legs 13	3' - 16'	Use for framing provided windo	g of customer
SIDES	8'	\$750	\$900	\$1,050	\$1,200	\$1,350	\$1,500	\$1,650	9′x8′	\$875	End \$0   Side \$150	\$225	\$375	\$52		·	ALK-IN DOOR
SID	9'	\$810	\$975	\$1,140	\$1,300	\$1,465	\$1,625	\$1,790	10'x8'	\$975 En	d \$100   Side \$150		on each side. M		v	\$70	\$85
폰	10′	\$875	\$1,050	\$1,225	\$1,400	\$1,575	\$1,750	\$1,925	10′x10′ \$	1,225 En	d \$100   Side \$150					<i><b></b></i>	405
вотн	11′	\$975	\$1,175	\$1,375	\$1,575	\$1,775	\$1,975	\$2,175		,	d \$150   Side \$300	STAND	OARD HEAD	ERS / LARG	E OPENII	NGS UNITS 12	2′ - 30′
ш		\$1,035	\$1,250	\$1,465	\$1,675	\$1,890	\$2,100	\$2,315			d \$150   Side \$300	OPENI	NGS ON TH	E SIDE	OP	ENINGS ON T	THE END
CLOSE		\$1,100	\$1,325	\$1,550	\$1,775	\$2,000	\$2,225	\$2,450			uired for installation	Opening	g 6-11' Wide	\$150	Openir	ng 6-14' Wide	\$150
Ъ		\$1,280	\$1,530	\$1,780	\$2,030	\$2,280	\$2,530	\$2,780	'		\$	1 0	•			ng 15' Wide	\$300
		\$1,950	\$2,360	\$2,770	\$3,180	\$3,590	\$4,000	\$4,410			OR OPENER KIT	Opening	12-16' Wide	\$ \$300		0	
	16' Vertical 6'-8'	\$2,000 \$320	\$2,410 \$400	\$2,820 \$480	\$3,230 \$560	\$3,640 \$640	\$4,050 \$720	\$4,460 \$800		Door Patiri e with N	\$950 WINDLOCK DOORS,					ng 16' Wide	\$400
VERT. SIDES	9'-12'	\$460	\$580	\$700	\$820	\$940	\$1,060	\$1,180		12'x12' & 14'x		*Side must				ht. 14′x14′ req	
SIDES	13'-14'	\$600	\$760	\$920	\$1,080	\$1,240	\$1,400	\$1,560		45° TRIM			taller. Must	incluae witr	n garage a	oor purchase.	
V. WA	INSCOTING	\$320	\$400	\$480	\$560	\$640	\$720	\$800		Door or Fram	\$100	HORIZO		Not availa	hle on 6' ta	II buildings. Pri	rice is <b>\$4/ft x</b>
				,						Opening Ist close end		WAINSC				ngs with 10' ar	
	HEIGHT		26' W		28′ W		30′	w	ma							-	
	6′		\$1.050		\$1,125		\$1,20	00	EX	TRA RAFTE	RS/ BOWS	26' - 30' \				L HEIGHT	4.41.4
	7′		\$1,200		\$1,300		\$1,40	00				\$250 EA	A. 6'S	tandard in	ici. \$20 pe	er foot up to	14 tall.
END	8′		\$1,250		\$1,350		\$1,45			CIDE				1.541			
۵,	9'		\$1,300		\$1,400		\$1,50		2011							INECTION FE	ES ON END
<b>ONE</b>   er End	10'		\$1,450		\$1,575		\$1,70		<b>20' L</b> \$120	-	<b>30' L 35' L</b> 160 \$180	40' L 45 \$200 \$2	<b>5' L 50'</b> 20 \$240			<b>26' - 30' W</b> \$400	
SE O Per	11′ 12′		\$1,500 \$1,550		\$1,625 \$1,675		\$1,75 \$1,80		Ψ120	4140 4	100 \$100					\$ <del>4</del> 00	
	12		\$1,550		\$1,850		\$1,80						LATION	DE		¢4 ⊑(	0.65
CLO	14'		\$1,900		\$2,050		\$2,20		DC	ORFF RORF	BLE TYPE (MOIST	JRE BARRIER)		R5 R7		\$1.50	
	15' Vertical		\$2,405		\$2,590		\$2,77		Doof (1/a	rtical Only)	2" FIBERGLASS		oth Fx 21/1			\$2.25 = C7C SE x \$/2	
	16' Vertical		\$2,510		\$2,705		\$2,90			-	Add 2' to width and		-		-		IEI SF
VERT.	6'-8'		\$350		\$375		\$40			15 0	ght by length by 2. I	0					
VER	9'-12'		\$375		\$400		\$42	5	Ends: Ad	ld 1.5 to leg h	eight, multiply by b	uilding width. Ex	x. 24' wide x 1	0' tall 11.5	x 24 = 276	x 2 = 552 sf x \$	\$/per SF
END	5 12							-									
<b>END</b> Per End	13'-14'		\$400		\$425		\$45	0	ADDITIC	NAL LABO	R FEES 20' L	25' L	30′ L	35′ L	40′ L	45′ L	50' L
<b>END</b> Per End		End	\$400 \$390		\$425 \$420		\$45) \$45)			NAL LABO Id Over Fe			<b>30' L</b> \$200	<b>35' L</b> \$250	<b>40′ L</b> \$275	<b>45' L</b> \$325	<b>50' L</b> \$350

0,	,		 nt to back or s neath garage o	

\*Cut leg fee



# 32' - 40' WIDE CLEAR-SPAN

AL\*, AR, GA, IN, KY, LA, MS, NC, OK, SC, TN, TX, VA

BASE PR	CES: Price in	cludes roof o	nly with 8' ea	ive height
32x20	34x20	36x20	38x20	40x20
\$6,095	\$6,295	\$6,495	\$6,695	\$6,895
32x25	34x25	36x25	38x25	40x25
\$7,295	\$7,545	\$7,795	\$8,045	\$8,295
32x30	34x30	36x30	38x30	40x30
\$8,595	\$8,895	\$9,195	\$9,495	\$9,795
32x35	34x35	36x35	38x35	40x35
\$9,995	\$10,345	\$10,695	\$11,045	\$11,395
32x40	34x40	36x40	38x40	40x40
\$11,195	\$11,570	\$11,945	\$12,320	\$12,695
32x45	34x45	36x45	38x45	40x45
\$12,495	\$12,920	\$13,345	\$13,770	\$14,195
32x50	34x50	36x50	38x50	40x50
\$13,695	\$14,195	\$14,695	\$15,195	\$15,695

Legs are 12" wide, thus reducing the inside of the clear span by 24"

#### WE ONLY USE HIGH QUALITY GALVANIZED STEEL

#### **29 GAUGE SHEET METAL SPECS:**

- ASTM A653 Grade 80
- G40 Galvanized Coating or AZ40
- 20-Year Beckers Paint System



- ASTM A653 HSLA Grade 50
- G60 Galvanized Coating
- 14 Gauge Steel / Optional 12 Gauge



*Ref. number : 24136S* 

LULL LIFT REQUIRED


Price not included, additional fee will be incurred.

for installation

# **STANDARD FEATURES** Pre-engineered 35PSF-145MPH (3 second gust ultimate wind speed (Vult) 145mph / Nominal wind speed 112mph)

Beckers

Commercial grade features include 14 gauge galvanized steel truss system with industry leading tubular knee bracing, 29 gauge metal roofing with 20 year Beckers paint system, framing spaced 5' on center, concrete anchors or earth auger anchors are included in base price. Eagle Carports, Inc. is not responsible for stopping, or repairing leaks under base rails. Base leg height is 8' tall. Please note: Eagle Carports, Inc. does not provide any site work. Truss design may vary slightly (from picture above). Customers are required to contact local building/zoning departments about codes for permitting purposes before order finalization. Alabama orders requiring higher loads will incur additional site-specific drawings. Please call for more details.



# **OPTIONAL FEATURES FOR 32' - 40' COMMERCIAL GRADES**

OPTIONAL 12 GAUGE FRAME UPGRADE	20′ L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L
32' - 40' WIDE	\$2,220	\$2,540	\$2,860	\$3,180	\$3,500	\$3,820	\$4,140
FLUSH MOUNT CONCRETE F	<b>(IT</b> \$200	\$220	\$240	\$260	\$280	\$300	\$320

Flush mount kits allow cement pads to be the exact width and length of the building without requiring a 2" perimeter.

	HEIGHT	20'L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L
	9'	\$300	\$350	\$400	\$450	\$500	\$550	\$600
EIGHT	10′	\$450	\$525	\$600	\$675	\$750	\$825	\$900
HEIQ	11′	\$600	\$700	\$800	\$900	\$1,000	\$1,100	\$1,200
	12′	\$750	\$875	\$1,000	\$1,125	\$1,250	\$1,375	\$1,500
	13′	\$900	\$1,050	\$1,200	\$1,350	\$1,500	\$1,650	\$1,800
EAVE/LEG	14′	\$1,050	\$1,225	\$1,400	\$1,575	\$1,750	\$1,925	\$2,100
ш	15′	\$1,200	\$1,400	\$1,600	\$1,800	\$2,000	\$2,200	\$2,400
	16′	\$1,350	\$1,575	\$1,800	\$2,025	\$2,250	\$2,475	\$2,700

	HEIGHT	20'L	25' L	30' L	35′ L	40′ L	45′ L	50' L
CAL	8′	\$1,070	\$1,300	\$1,530	\$1,760	\$1,990	\$2,220	\$2,450
/ VERTICAL	9′	\$1,270	\$1,555	\$1,840	\$2,120	\$2,405	\$2,685	\$2,970
	10′	\$1,335	\$1,630	\$1,925	\$2,220	\$2,515	\$2,810	\$3,105
SIDES	11'	\$1,435	\$1,755	\$2,075	\$2,395	\$2,715	\$3,035	\$3,355
	12′	\$1,495	\$1,830	\$2,165	\$2,495	\$2,830	\$3,160	\$3,495
вотн	13′	\$1,700	\$2,085	\$2,470	\$2,855	\$3,240	\$3,625	\$4,010
SEB	14′	\$1,880	\$2,290	\$2,700	\$3,110	\$3,520	\$3,930	\$4,340
CLOSE	15′	\$1,950	\$2,360	\$2,770	\$3,180	\$3,590	\$4,000	\$4,410
	16′	\$2,000	\$2,410	\$2,820	\$3,230	\$3,640	\$4,050	\$4,460
W	AINSCOTING	\$325	\$400	\$475	\$550	\$625	\$700	\$775

	HEIGHT	32' W	34' W	36' W	38′ W	40′ W
_	8′	\$1,995	\$2,120	\$2,245	\$2,370	\$2,495
VERTICAL	9'	\$2,095	\$2,245	\$2,345	\$2,545	\$2,695
'ERT	10′	\$2,195	\$2,345	\$2,495	\$2,645	\$2,795
	11′	\$2,395	\$2,520	\$2,645	\$2,770	\$2,895
<b>E END /</b> Per End	12′	\$2,495	\$2,670	\$2,845	\$3,020	\$3,195
<b>ONE</b> Pe	13′	\$2,595	\$2,770	\$2,945	\$3,120	\$3,295
	14′	\$2,695	\$2,870	\$3,045	\$3,220	\$3,395
CLOSE	15′	\$2,795	\$2,970	\$3,145	\$3,320	\$3,495
	16′	\$2,895	\$3,070	\$3,245	\$3,420	\$3,595
WAINS	COTING Per End	\$560	\$595	\$630	\$665	\$700
A	DITIONAL LABOR	FEES 20'	L 25' L	30' L 35'	L 40'L 4	45′ L 50′ L
	Build Over Fee	-		\$200 \$25		\$325 \$350
	Cut Legs on site			\$150 \$17		\$225 \$250

\*Cut leg fee has a maximum of 12" adjustment possible, either front to back or side to side. Please note, side to side on level lots will result in gap underneath garage doors.

**CONCRETE DIMENSIONS** All stated dimensions are in reference to the frame size, not the roof dimensions. With Flush Mount Kit Cement pads do not require additional width. Ex. 20' x 30' unit will need a 20' x 30' pad.

WALK-DOORS - 36"x80" MHD: Right H. Outswing   RD: Right H. Inswing							
SIZE	Non-Rated	Wind-Rated					
Mobile Home Door	\$395	\$550					
9 Light Steel Door	\$575*	N/A					
*Special Order item. <u>ONLY</u> available to install on cement.							
WINDOWS White with Grid							

SIZE	Non-Rated	Wind-Rated
24" x 36"	\$195	\$220
30" x 36"	\$215	\$240

			1000103302000	A REPORT OF A R		
24" x 36"	\$195	\$220	Window	Garage Door		
30" x 36"	\$215	\$240				
TRIMMED	32' - 40' WIDE	FRA Use for fran provided w	ME OUTS ming of customer vindows & doors	<b>45° TRIM KIT</b> Garage Door or Frame Out Add-on		
GABLE END		Window Walk-in Door		Per Opening	\$100	
	\$825 EA.	\$70	\$85	Must close end	or side	
3' SIDE PA	NELS (VERTICAL)	Includes both s	LEAN TO	32′ - 40′		

Close End

3' SIDE P 25' | 20' L 30' 35' 40' 45' 50' \$640 \$760 \$340 \$405 \$480 \$555 \$695

Garage Door or Fra	
Per Opening	\$100
Must close en	d or side
LEAN TO	32' - 40'
CONNECTION SEES	

On End

Without Flush Mount Kit

All cement pads require 2" wider on all sides.

Ex. 20' x 30' unit will need a 20'4" x 30'4" pad.

ROLL UP GARAGE DOORS								
SIZE	Non-Rated Door	**Wind-Rated Door	Header Price					
6'x7'	\$605	N/A	End \$0   Side \$150					
8'x8'	\$805	\$1,100	End \$0   Side \$150					
9′x8′	\$875	\$1,200	End \$0   Side \$150					
10'x8'	\$975	\$1,300	End \$100   Side \$150					
10'x10'	\$1,225	\$1,400	End \$100   Side \$150					
12'x12'	\$1,925	\$3,100	End \$150   Side \$300					
*14'x14'	\$2,895	\$4.000	End \$150   Side \$300					

\*Special order door, lift required for installation. \*\*Wind Rated Door Protects from blowouts. Special Order Items. Due to design, door is significantly louder than a standard roll up door.

STANDARD HEAD	ERS / LAR	EXTRA RAFTEI	RS/TRUSSES		
Openings on the Side		Openings on the End		32'-40'W	¢1.005
Opening 6-11' Wide	\$150	Opening 6-14' Wide	\$150	52-40 W	\$1,095
Opening 12-16' Wide	\$300	Opening 15' Wide	\$300	ADDITIONAL	8' standard incl.
		Opening 16' Wide	\$400	HEIGHT	\$30 per foot up to 14' tall.
					14' tall.

\*Side must be1' taller than desired door height. 14' x 14' requires 2 foot taller. Must include with garage door purchase.

SIDE CONNECTION FEES Per Side									
20′ L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L			
\$120	\$140	\$160	\$180	\$200	\$220	\$240			

INSUL	ATION	
Double Bubble Type (Moisture Barrier)	R5	\$1.50 SF
2" Fiberglass	R7	\$2.25 SF

ROOF (Vertical Only): Add 2' to width and multiply by length. Ex. 24' wide x 26' long 26 x 26 = 676 SF x \$/per SF **SIDES:** Multiply leg height by length by 2. *Ex. 26' long x 10' tall 10 x 26 = 260 x 2 = 520 SF x \$/per SF* 

ENDS: Add 1.5 to leg height, multiply by building width. Ex. 24' wide x 10' tall 11.5 x 24 = 276 x 2 = 552 SF x \$/per SF

\$500

# 12' - 30' WIDE RV COVERS



AL\*, AR, GA, IN, KY, LA, MS, NC, OK, SC, TN, TX, VA


Vertical	Roof Style						
12x20	18x20	20x20	22x20	24x20	26x20*	28x20*	30x20*
\$2,995	\$3,295	\$3,495	\$3,695	\$3,895	\$4,395	\$4,595	\$4,795
12x25	18x25	20x25	22x25	24x25	26x25*	28x25*	30x25*
\$3,695	\$4,095	\$4,295	\$4,495	\$4,695	\$5,395	\$5,595	\$5,795
12x30	18x30	20x30	22x30	24x30	26x30*	28x30*	30x30*
\$4,295	\$4,795	\$4,995	\$5,195	\$5,395	\$6,295	\$6,595	\$6,895
12x35	18x35	20x35	22x35	24x35	26x35*	28x35*	30x35*
\$4,795	\$5,395	\$5,595	\$5,995	\$6,295	\$7,295	\$7,595	\$7,895
12x40	18x40	20x40	22x40	24x40	26x40*	28x40*	30x40*
\$5,495	\$6,195	\$6,595	\$6,845	\$7,495	\$8,295	\$8,595	\$8,895
12x45	18x45	20x45	22x45	24x45	26x45*	28x45*	30x45*
\$6,295	\$7,195	\$7,595	\$8,045	\$8,495	\$9,295	\$9,545	\$9,795
12x50	18x50	20x50	22x50	24x50	26x50*	28x50*	30x50*
\$6,795	\$7,795	\$8,195	\$8,645	\$9,095	\$9,695	\$9,945	\$10,395

#### **Boxed Eave Roof Style**

12x20	18x20	20x20	22x20	24x20	26x20*	28x20*	30x20*
\$2,595	\$2,795	\$2,995	\$3,195	\$3,395	\$3,695	\$3,845	\$3,995
12x25	18x25	20x25	22x25	24x25	26x25*	28x25*	30x25*
\$3,095	\$3,395	\$3,595	\$3,795	\$3,995	\$4,495	\$4,645	\$4,795
12x30	18x30	20x30	22x30	24x30	26x30*	28x30*	30x30*
\$3,695	\$3,995	\$4,195	\$4,395	\$4,595	\$5,195	\$5,395	\$5,595
12x35	18x35	20x35	22x35	24x35	26x35*	28x35*	30x35*
\$4,195	\$4,595	\$4,795	\$4,995	\$5,195	\$5,995	\$6,245	\$6,495

\* Must include lift for installation, Refer to Lift Rental Guide

Pricing shown is for risk category I/wind exposure B. Please see back page for risk category II/wind exposure options.



### WE ONLY USE HIGH QUALITY GALVANIZED STEEL

#### **29 GAUGE SHEET METAL SPECS:**

- ASTM A653 Grade 80
- **TUBE FRAME SPECS:** ASTM A653 HSLA Grade 50
- G40 Galvanized Coating or AZ40 • 20-Year Beckers Paint System
- G60 Galvanized Coating
- 14 Gauge Steel / Optional 12 Gauge

### STANDARD FEATURES Pre-engineered 25PSF-120MPH (3 second gust ultimate wind speed (Vult) 105-120mph / Nominal wind speed 81-93mph)

RV carports features include the following: 14 gauge galvanized steel framing, 29 gauge metal roofing with 20 year Beckers paint system, framing spaced 5' on center, double base rail, double legs, includes both peak and leg bracing for additional strength and stability. Concrete Anchors or Rebar Anchors, and Earth Auger Anchors included in base price. Base leg height is 12' tall. Please note: Eagle Carports, Inc. does not provide site work. Customers are required to contact local building/zoning departments about codes for permitting purposes before order finalization. Alabama orders requiring higher loads will incur additional site-specific drawings. Please call for more details.

*✓ Lot must be cleared and leveled prior to installation.* 

✓ All cement pads must have turn down footers.

Price doesn't include site preparation.





TrustedSite CERTIFIED SECURE



Free Delivery in 20 states



on your level lot

Beckers

# **OPTIONAL FEATURES FOR 12' - 30' WIDE RV CARPORTS**

0	PTIONAL FEATURES		20' L	25′ L	30′ L	35′ L	40′ L	45′ L	50' L
12' - 18' Wide   <b>12G UPGRADE</b>		\$885	\$970	\$1,055	\$1,140	\$1,225	\$1,310	\$1,395	
20' - 24' Wide   <b>12G UPGRADE</b>		\$1,145	\$1,300	\$1,455	\$1,610	\$1,765	\$1,920	\$2,075	
26' - 30' Wide   <b>12G UPGRADE</b>		DE	\$1,665	\$1,905	\$2,145	\$2,385	\$2,625	\$2,865	\$3,105
FLUSH MOUNT KIT			\$200	\$220	\$240	\$260	\$280	\$300	\$320
35/140 RATING UPGRADE (Additional to deposit)		\$300				sk cat 2, & seis lush mount if i			
<b>1</b>	HEIGHT	20	'L 2!	5'L 3	30' L	35' L	40' L	45′ L	50′ L
GHT									50 L
< <u>.</u>	12' Double Legs	Inc	:l. Ir			Incl.	Incl.	Incl.	Incl.
/E / EIGH	12' Double Legs 13' Double Legs	Inc \$10		icl. I	ncl.			-	
: HEIGH	0		0 \$1	ncl.    00 \$	ncl. 100 :	Incl.	Incl.	Incl.	Incl.
EAVE / EG HEIGH	13' Double Legs	\$10	00 \$1 00 \$2	100 \$200 \$	ncl. 100	Incl. \$100	Incl. \$100	Incl. \$100	Incl. \$100
EAVE / LEG HEIGH	13' Double Legs 14' Double Legs	\$10 \$20	00 \$1 00 \$2 00 \$2	100 \$ 200 \$ 100 \$	ncl. 100 200 400	Incl. \$100 \$200	Incl. \$100 \$200	Incl. \$100 \$200	Incl. \$100 \$200

-	HEIGHT	20′ L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L
BOTH ES	12 Horiz.	\$1,035	\$1,250	\$1,465	\$1,675	\$1,890	\$2,100	\$2,315
	13 Horiz.	\$1,100	\$1,325	\$1,550	\$1,775	\$2,000	\$2,225	\$2,450
NDS I	14 Horiz.	\$1,280	\$1,530	\$1,780	\$2,030	\$2,280	\$2,530	\$2,780
CLOSI	15 Vert.	\$1,950	\$2,360	\$2,770	\$3,180	\$3,590	\$4,000	\$4,410
Ū	16 Vert.	\$2,000	\$2,410	\$2,820	\$3,230	\$3,640	\$4,050	\$4,460
VERT. SIDES	12' Tall	\$460	\$580	\$700	\$820	\$940	\$1,060	\$1,180
ADD	13'-14' Tall	\$600	\$760	\$920	\$1,080	\$1,240	\$1,400	\$1,560
V. WA	INSCOTING	\$320	\$400	\$480	\$560	\$640	\$720	\$800

#### \*15'-16' Vertical siding included

Δ	HEIGHT	12′ W	18′ W	20' W	22' W	24' W	26' W	28' W	30' W
END	12' Eave (DBL Legs)	\$925	\$1,335	\$1,470	\$1,605	\$1,740	\$1,775	\$1,925	\$2,075
<b>NE</b> End	13' Eave (DBL Legs)	\$1,000	\$1,410	\$1,545	\$1,680	\$1,815	\$1,850	\$2,000	\$2,150
er i	14' Eave (DBL Legs)	\$1,050	\$1,500	\$1,650	\$1,800	\$1,950	\$1,900	\$2,050	\$2,200
CLOSE O	*15' Eave (DBL Vert)	N/A	\$1,895	\$2,055	\$2,245	\$2,435	\$2,405	\$2,590	\$2,775
С	*16' Eave (DBL Vert)	N/A	\$2,045	\$2,265	\$2,485	\$2,705	\$2,510	\$2,705	\$2,900
VERT. END	Vertical 12'	\$175	\$250	\$275	\$300	\$325	\$375	\$400	\$425
Per End	Vertical 13-14'	\$200	\$275	\$300	\$325	\$350	\$400	\$425	\$450
V. WAINSCOTING Per End		\$180	\$270	\$300	\$330	\$360	\$390	\$420	\$450

#### \*15'-16' Vertical siding included

INSULATION										
DOUBLE BUBBLE TYPE (MOISTURE BARRIER)R5\$1.50 SF										
2" FIBERGLASS R7 \$2.25 SF										
Roof (Vertical Only): Add 2' to width and multiply by length. Ex. 24' wide x 26' long 26 x 26 = 676 SF x \$/per SF										
Sides: Multiply leg height by length by 2. Ex. 26' long x 10' tall $10 \times 26 = 260 \times 2 = 520$ sf x \$/per SF										
Ends: Add 1.5 to leg height, multiply by building width. Ex. 24' wide x 10' tall 11.5 x 24 = 276 x 2 = 552 sf x \$/per SF										

ADDITIONAL LABOR FEES	20' L	25' L	30' L	35′ L	40′ L	45' L	50' L
Build Over Fee	\$150	\$175	\$200	\$250	\$275	\$325	\$350
Cut Legs on Site*	\$100	\$125	\$150	\$175	\$200	\$225	\$250

\*Cut leg fee has a maximum of 12" adjustment possible, either front to back or side to side. Please note, side to side on level lots will result in gap underneath garage doors.

<b>CONCRETE DIMENSIONS</b> All stated dimensions ar	re in reference to the frame size, not the roof dimensions.
With Flush Mount Kit	Without Flush Mount Kit
Cement pads do not require additional width.	All cement pads require 2" wider on all sid
Ex. 20' x 30' unit will need a 20'x 30' pad.	Ex. 20' x 30' unit will need a 20'4" x 30'4" pa

Add \$105

Add \$120

Without Flush Mount Kit	
All cement pads require 2" wider on all sides.	
<i>Ex. 20' x 30' unit will need a 20'4" x 30'4" pad.</i>	

\*J-TRIM Add \$90



the end of your building.	_	<b>Gable End</b> - Perfect addition to
City Paral Data star		the end of your building.

Side Panel - Protects your valuables from inclement weather.

Double Legs - Measuring 5"x2.5", our welded double legs provide extra rigidity.

WALK-IN DOORS - 36 MHD:Right H. Outswing   RD: Rig	WINDOWS White with Grid			
Mobile Home Door	\$395	24"X36"	30″X36″	
9 Light Steel Door	\$575*	\$195	\$215	

GABLE ON END Priced Per End For Vertical Gable multiply price by 1.5. For Extended Horizontal Gable multiply by 2. For Extended Vertical Gable multiply by 3.									
18′ W	20′ W	22' W	24′ W	26' W	28' W	30′ W			
\$175 EA.	\$275 EA.	\$300 EA.	\$325 EA.	\$350 EA.	\$425 EA.	\$450 EA.			

\*Extended Gables have an additional 3' of coverage.

TRIMMED HALF PANELS 12' - 30' Kit made for both sides. Package price cannot be halved.									
20′ L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L			
\$200	\$225	\$250	\$275	\$400	\$425	\$450			

CORN	ER KIT Must ad			
Legs 6' - 8'	Legs 9' - 12'	Legs 13' - 16'	Use for framing of customer provided windows & doors	
\$225	\$225 \$375 \$525		WINDOW	WALK-IN DOOR
2' wide max on	each side. Must	\$70	\$85	

STANDARD HEADERS / LARGE OPENINGS UNITS 12' - 30'								
OPENINGS ON THE S	IDE	OPENINGS ON THE END						
Opening 6-11' Wide	\$150	Opening 6-14' Wide	\$150					
Opening 12-16' Wide	\$300	Opening 15' Wide	\$300					
		Opening 16' Wide	\$400					

\*Side must be 1' taller than desired door height. 14'x14' requires 2 foot taller. Must include with garage door purchase.

WELDED TRUSS UPGRADE 18' - 24'	20' L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L
Welded Truss Vary By Size	\$200	\$250	\$300	\$350	\$400	\$450	\$500

EVTDA		BOWE	RV 12' - 2	4'W   RV	26' - 30' W	1	ADDITIONAL H	EIGHT
EXTRA RAFTERS/ BOWS		\$300 E/	A. :	\$500 EA.	6' sta	6' standard incl. \$20 per foot up to 14' tall		
SIDE CONNECTION FEES PER SIDE				LEAN TO CONNEC	TION FEES ON END			
20′ L	25′ L	30′ L	35′ L	40′ L	45′ L	50′ L	12' - 22' W	26' W
\$120	\$140	\$160	\$180	\$200	\$220	\$240	\$300	\$400

**EXTRA PANELS** PRICE LENGTH \$120 Add \$75 20'

25'

30'

\*\*35'

**40'	\$205	Add \$135
**45′	\$230	Add \$150
**50'	\$255	Add \$165
*J-Trim pric **Not a	e covers bo continuous	
End		Side

\$140

\$160

\$180

R	OLL UP GA	RAGE DOORS
Size	Door Price	Header price
6'x7'	\$605	End \$0   Side \$150
8'x8'	\$805	End \$0   Side \$150
9′x8′	\$875	End \$0   Side \$150
10'x8'	\$975	End \$100   Side \$150
10′x10′	\$1,225	End \$100   Side \$150
12'x12'	\$1,925	End \$150   Side \$300
*14′x14′	\$2,895	End \$150   Side \$300
*Specie	al order do	or, lift required for

installation

ELECTRIC GARAGE DOOF	R OPENER KIT			
Per Door \$950				
NOT COMPATIBLE WITH WINDLOCK DOORS, OR 12'x12' & 14'x14' DOORS				
UK 12 X12 & 14 X14 1				
45° TRIM KI Garage Door or Frame C	Т			
45° TRIM KI	Т			